Please amend the claims as follows:

**LISTING OF CLAIMS:** 

1-24. (Canceled).

25. (Currently amended): A composition comprising epigallocatechin

gallate (EGCG), pantethine, and phytanic acid, which composition is formulated to treat

type 2 diabetes.

26. (Currently amended): A nutraceutical composition for treating type 2

diabetes comprising a carrier, epigallocatechin gallate (EGCG), pantethine, and

phytanic acid.

27. (Currently amended): A composition comprising epigallocatechin

gallate (EGCG), pantethine, and phytanic acid, which composition is formulated to

reduce the incidence or risk of type 2 diabetes in a human at risk of developing type 2

diabetes.

28. (Currently amended): A nutraceutical composition for reducing the

incidence or risk of type 2 diabetes in a human, the composition comprising a carrier,

epigallocatechin gallate (EGCG), pantethine, and phytanic acid.

29. (Cancelled).

30. (Previously presented): The composition according to any one of

claims 27 or 28, wherein the human suffers from a condition selected from the group

consisting of pre-diabetes, impaired glucose tolerance (IGT), obesity, and combinations

thereof.

3

Amendment Dated: December 11, 2007 Reply to Office Action Dated: July 11, 2007

31. (Previously presented): The composition according to any one of claims 25, 26, 27, or 28, wherein the composition is a food, a beverage, a supplement for a food, or a supplement for a beverage.

32. (Previously presented): The composition according to any one of claims 25, 26, 27, or 28, wherein EGCG is present in an amount sufficient to administer to a subject a daily dosage of 0.3 mg per kg body weight.

33. (Previously presented): The composition according to any one of claims 25, 26, 27, or 28, wherein phytanic acid is present in an amount sufficient to administer to a subject a daily dosage of 1 mg per kg body weight to about 100 mg per kg body weight.

34. (Currently amended): The composition according to <u>any one of claims</u> <u>25, 26, 27, or 28</u> elaim <u>29</u>, wherein pantethine is present in an amount sufficient to administer to a subject a daily dosage of 1 mg per kg body weight to about 50 mg per kg body weight.

35. (Currently amended): A unit dosage form for treating type 2 diabetes comprising a carrier, epigallocatechin gallate (EGCG), pantethine, and phytanic acid.

36. (Currently amended): A unit dosage form for reducing the incidence or risk of diabetes type 2 in a human at risk of developing diabetes type 2 comprising a carrier, epigallocatechin gallate (EGCG), <u>pantethine</u>, and phytanic acid.

37. (Cancelled).

Amendment Dated: December 11, 2007 Reply to Office Action Dated: July 11, 2007

- 38. (Previously presented): The unit dosage form according to claim 36, wherein the human suffers from a condition selected from the group consisting of pre-diabetes, impaired glucose tolerance (IGT), obesity, and combinations thereof.
- 39. (Previously presented): The unit dosage form according to claim 35 or 36 wherein the unit dosage form contains about 10 mg to about 500 mg of EGCG.
- 40. (Previously presented): The unit dosage form according to claim 35 or 36 wherein the unit dosage form contains about 30 mg to about 500 mg of phytanic acid.
- 41. (Currently amended): The composition unit dosage form according to claim 35 or 36 37 wherein the unit dosage form which contains about 20 mg to about 1000 mg of pantethine.
- 42. (Currently amended): A composition for treating type 2 diabetes comprising epigallocatechin gallate (EGCG), and at least one additional active selected from the group consisting of pantethine, and phytanic acid, and combinations thereof in admixture with a food or beverage.
- 43. (Currently amended): A composition for reducing the incidence or risk of type 2 diabetes in a human, the composition comprising epigallocatechin gallate (EGCG), and at least one additional active selected from the group consisting of pantethine, and phytanic acid, and combinations thereof in admixture with a food or beverage.
- 44. (Previously presented): The composition according to claim 43, wherein the human suffers from a condition selected from the group consisting of pre-diabetes, impaired glucose tolerance (IGT), obesity, and combinations thereof.

Amendment Dated: December 11, 2007 Reply to Office Action Dated: July 11, 2007

45. (Previously presented): The composition according to any one of claims 42 or 43 comprising EGCG, pantethine or a metabolite thereof, phytanic acid, lipoic acid, policosanol and coenzyme Q-10.

46. (Currently amended): A method for treating diabetes in a human comprising administering to the human in need of such treatment a composition comprising epigallocatechin gallate (EGCG), and at least one additional active selected from the group consisting of pantethine, and phytanic acid, and combinations thereof.

47. (Currently amended): A method for reducing the incidence or risk of diabetes type 2 in a human at risk of developing diabetes type 2 comprising administering to the human a composition comprising epigallocatechin gallate (EGCG), and at least one additional active selected from the group consisting of pantethine, and phytanic acid, and combinations thereof.

48. (Previously presented): The method according to claim 46, wherein the diabetes is type 1 diabetes.

49. (Previously presented): The method according to claim 47, wherein the diabetes is type 2 diabetes.

- 50. (Cancelled).
- 51. (Cancelled).
- 52. (Cancelled).

53. (Previously presented): The method according to claim 47, wherein the human suffers from a condition selected from the group consisting of pre-diabetes, impaired glucose tolerance (IGT), obesity, and combinations thereof.

Amendment Dated: December 11, 2007 Reply to Office Action Dated: July 11, 2007

54. (Currently amended): The method according to claim 46 or 47, wherein the composition contains EGCG in an amount sufficient to provide a daily dosage of 0.3 mg per kg body weight to about 30 mg per kg body weight of the subject to which it is to be administered, pantethine, if present, in an amount sufficient to provide a daily dosage of 1.0 mg per kg body weight to about 50 mg per kg body weight of the subject to which it is to be administered, and phytanic acid, if present, in an amount sufficient to provide a daily dosage of 1.0 mg per kg body weight to about 100 mg per kg body weight of the subject to which it is to be administered.